

CHOOSE THE CORRECT ANSWER.

20x1/2=10M

1. H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
2. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
3. Nernst equation is used to calculate []
a) Redox system b)emf cell c) polarization d) none
4. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
5. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
6. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
7. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
8. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH <7 d) none
9. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
10. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all

CHOOSE THE CORRECT ANSWER.

20x1/2=10M 1.H₂-O₂ fuel

- cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
2. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
3. Nernst equation is used to calculate []
a) Redox system b)emf cell c) polarization d) none
4. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
5. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
6. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
7. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
8. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH <7 d) none
9. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
10. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all

11. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
12. Composition of water gas []
a) CO + N₂ b) CO +CH₄ c) CH₄ + N₂ d) CO + H₂
13. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
14. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
15. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
16. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
17. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
18. The rusting is catalyzed by which of the following []
a) O₂ b) Zn c) H⁺ d) Fe
19. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
20. Chemical formula of rust is []
a) Fe₂O₃ .X. H₂O b) Fe₂O₃
c) Na₂[Ca₂(PO₃)₆] d) Na₂[Na₄(PO₃)₆]

11. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
12. Composition of water gas []
a) CO + N₂ b) CO +CH₄ c) CH₄ + N₂ d) CO + H₂
13. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
14. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
15. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
16. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
17. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
18. The rusting is catalyzed by which of the following []
a) O₂ b) Zn c) H⁺ d) Fe
19. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
20. Chemical formula of rust is []
a) Fe₂O₃ .XH₂O b) Fe₂O₃
c) Na₂[Ca₂(PO₃)₆] d) Na₂[Na₄(PO₃)₆]

CHOOSE THE CORRECT ANSWER.

20x1/2=10M

1. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
2. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
3. The Corrosion will be rapid when []
c) pH= 7 b) pH > 7 c) pH < 7 d) none
4. Tinning is done by []
c) Electroplating b)Spraying c)Hot dipping
d) Cementation
5. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
- 6.H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
7. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
8. Nernst equation is used to calculate []
a) redox system b)emf cell c) polarization d) none
9. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
10. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none

CHOOSE THE CORRECT ANSWER.

20x1/2=10M

1. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
2. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
3. The Corrosion will be rapid when []
d) pH= 7 b) pH > 7 c) pH < 7 d) none
4. Tinning is done by []
d) Electroplating b)Spraying c)Hot dipping
d) Cementation
5. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
- 6.H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
7. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
8. Nernst equation is used to calculate []
a) redox system b)emf cell c) polarization d) none
9. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
10. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none

11. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
12. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
13. The rusting is catalyzed by which of the following []
a) O₂ b) Zn c) H⁺ d) Fe
14. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
15. Chemical formula of rust is []
a) Fe₂O₃.X H₂O b) Fe₂O₃
c) Na₂[Ca₂(PO₃)₆] d) Na₂[Na₄(PO₃)₆]
16. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
17. Composition of water gas []
a) CO + N₂ b) CO +CH₄ c) CH₄ + N₂ d) CO + H₂
18. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
19. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
20. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene

11. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
12. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
13. The rusting is catalyzed by which of the following []
a) O₂ b) Zn c) H⁺ d) Fe
14. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
15. Chemical formula of rust is []
a) Fe₂O₃.X H₂O b) Fe₂O₃
c) Na₂[Ca₂(PO₃)₆] d) Na₂[Na₄(PO₃)₆]
16. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
17. Composition of water gas []
a) CO + N₂ b) CO +CH₄ c) CH₄ + N₂ d) CO + H₂
18. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
19. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
20. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene

G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY (AT)**I. B.Tech. II Sem II MID Exam Objective****Branches: Common to EEE, CSE & CIVIL****Sub: Engineering Chemistry****Date: 11-05-2017.****Time: 20 min****Max.Marks:10****Signature of the Faculty:****CHOOSE THE CORRECT ANSWER.****20x1/2=10M**

1. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
2. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
3. H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
4. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
5. Nernst equation is used to calculate []
a) Redox system b)emf cell c) polarization d) none
6. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
7. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
8. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
9. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
10. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH < 7 d) none

G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY (AT)**I. B.Tech. II Sem II MID Exam Objective****Branches: Common to EEE, CSE & CIVIL****Sub: Engineering Chemistry****Date: 11-05-2017.****Time: 20 min****Max.Marks:10****Signature of the Faculty:****CHOOSE THE CORRECT ANSWER.****20x1/2=10M**

1. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
2. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
3. H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
4. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
5. Nernst equation is used to calculate []
a) Redox system b)emf cell c) polarization d) none
6. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
7. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
8. Major component of Portland cement is []
a) Cao b) Mgo c) 3Cao.SiO₂ d) SiO₂
9. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
10. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH < 7 d) none

11. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
12. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
13. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
14. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
15. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
16. The rusting is catalyzed by which of the following []
a) O_2 b) Zn c) H^+ d) Fe
17. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
18. Chemical formula of rust is []
a) $Fe_2O_3 \cdot X H_2O$ b) Fe_2O_3
c) $Na_2[Ca_2(PO_3)_6]$ d) $Na_2[Na_4(PO_3)_6]$
19. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
20. Composition of water gas []
a) $CO + N_2$ b) $CO + CH_4$ c) $CH_4 + N_2$ d) $CO + H_2$

11. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
12. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
13. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
14. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
15. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates
16. The rusting is catalyzed by which of the following []
a) O_2 b) Zn c) H^+ d) Fe
17. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
18. Chemical formula of rust is []
a) $Fe_2O_3 \cdot X H_2O$ b) Fe_2O_3
c) $Na_2[Ca_2(PO_3)_6]$ d) $Na_2[Na_4(PO_3)_6]$
19. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
20. Composition of water gas []
a) $CO + N_2$ b) $CO + CH_4$ c) $CH_4 + N_2$ d) $CO + H_2$

CHOOSE THE CORRECT ANSWER.

20x1/2=10M

1. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
2. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
3. Major component of Portland cement is []
a) CaO b) MgO c) 3CaO.SiO₂ d) SiO₂
4. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
5. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH <7 d) none
6. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
7. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
- 8.H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
9. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
10. Nernst equation is used to calculate []
a) redox system b)emf cell c) polarization d) none

CHOOSE THE CORRECT ANSWER.

20x1/2=10M

1. Lubricants are mainly employed to reduce []
a) Absorption b) corrosion c) wearing d) all of these
2. Neutralization number is also called as []
a) Acid number b) non toxic c) base number d) none
3. Major component of Portland cement is []
a) CaO b) MgO c) 3CaO.SiO₂ d) SiO₂
4. _____ is a secondary cell (or) battery []
a) Ni – Cad b) Daniel cell c) Voltaic cell d) none
5. The Corrosion will be rapid when []
a) pH= 7 b) pH > 7 c) pH <7 d) none
6. Tinning is done by []
a) Electroplating b)Spraying c)Hot dipping
d) Cementation
7. MoS₂ is commercially called as []
a) Disulphide molybdenum b) molybdenum disulphide
c) Molokyte d) all
- 8.H₂-O₂ fuel cells are used as auxiliary energy source in []
a)Trains b)Aero planes c)Space vehicles d)Automobiles
9. Which of the following refractory is neutral []
a) Magnesite b) silica c) dolomite d) graphite
10. Nernst equation is used to calculate []
a) redox system b)emf cell c) polarization d) none

11. The rusting is catalyzed by which of the following []
a) O_2 b) Zn c) H^+ d) Fe
12. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
13. Chemical formula of rust is []
a) $Fe_2O_3 \cdot X H_2O$ b) Fe_2O_3
c) $Na_2[Ca_2(PO_3)_6]$ d) $Na_2[Na_4(PO_3)_6]$
14. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
15. Composition of water gas []
a) $CO + N_2$ b) $CO + CH_4$ c) $CH_4 + N_2$ d) $CO + H_2$
16. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
17. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
18. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
19. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
20. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates

11. The rusting is catalyzed by which of the following []
a) O_2 b) Zn c) H^+ d) Fe
12. _____ is a secondary cell []
a) Ni-Cad b) Daniel c) Voltaic cell d) Laclanche cell
13. Chemical formula of rust is []
a) $Fe_2O_3 \cdot X H_2O$ b) Fe_2O_3
c) $Na_2[Ca_2(PO_3)_6]$ d) $Na_2[Na_4(PO_3)_6]$
14. The highest ranking of coal is []
a) Anthracite b) peat c) lignite d) bituminous
15. Composition of water gas []
a) $CO + N_2$ b) $CO + CH_4$ c) $CH_4 + N_2$ d) $CO + H_2$
16. Flue gas is done by using []
a) Bee hive oven b) Junker's calorimeter c) Orsat's gas apparatus d) none
17. The Catalyst used in Bergius process is []
a) Nickel Oxalate b) Nickel Oleate c) Iron d) Platinum
18. The only liquid fuel in nature is []
a) Petrol b) diesel c) petroleum d) kerosene
19. Corrosion is an example of []
a) reduction b) Oxidation c) corrosion d) electrolysis
20. _____ is a cathodic inhibitor []
a) Chromates b) Tungstates c) Mg d) Phosphates