



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. _____ is used to display a list of vertically scrolling items. []
a)Grid view b)page viewer c)list view d) all of the above.
2. _____ is similar to drop down list that displays list of items. []
a)alert dialogs b)spinner view c)list view d)grid view.
3. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b)grid view c)list view d)spinner view []
- 4.the view pager require a _____ to define and load the data for each page.
a)string resource b)array c)list of items d)data adapter. []
5. _____ is used to track the objects allocated to an application. []
a)allocation tracker b)tracker c)object allocator d) none.
6. _____ is used to pause the execution of an application temporarily.
a)console b)an error c) break point d)None. []
7. _____ button is used to collapse all the expanded elements in the view.
a)expand all b)skip all c)remove all d) collapse all. []
8. _____ is a small window that pops up to interact with a user .
a)view control b)dialog control c)fragment d) frame. []
9. _____ is used to display text message in dialog box. []
a)get msg() b)printf() c) print msg() d) set msg().
10. _____ is used to manage fragments in an activity. []
a)fragment manager b)fragmanr_manager c)F_manager d) All .



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. _____ is used to display a list of vertically scrolling items. []
a)Grid view b)page viewer c)list view d) all of the above.
2. _____ is similar to drop down list that displays list of items. []
a>alert dialogs b)spinner view c)list view d)grid view.
3. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b)grid view c)list view d)spinner view []
- 4.the view pager require a _____ to define and load the data for each page.
a)string resource b)array c)list of items d)data adapter. []
5. _____ is used to track the objects allocated to an application. []
a)allocation tracker b)tracker c)object allocator d) none.
6. _____ is used to pause the execution of an application temporarily.
a)console b)an error c) break point d)None. []
7. _____ button is used to collapse all the expanded elements in the view.
a)expand all b)skip all c)remove all d) collapse all. []
8. _____ is a small window that pops up to interact with a user .
a)view control b)dialog control c)fragment d) frame. []
9. _____ is used to display text message in dialog box. []
a)get msg() b)printf() c) print msg() d) set msg().
10. _____ is used to manage fragments in an activity. []
a)fragment manager b)fragmanr_manager c)F_manager d) All .

Choose the correct alternative:

11. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
12. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
13. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
14. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b) .schema c) stable d) ls []
15. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []
16. which of the following is the method that is used to broad cast internet
a) send broad cast() b).put extra () c) set action() d) all. []
17. themes are applied to an application by using _____ attribute. []
a) android :theme b) android :style c) android :layout d) theme.
18. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
19. _____ attribute aligns the content of the control in the linear layout [].
a) android:align b) android :padding c) android :orientation d) android : gravity
20. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []

Choose the correct alternative:

11. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
12. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
13. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
14. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b) .schema c) stable d) ls []
15. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []
16. which of the following is the method that is used to broad cast internet
a) send broad cast() b).put extra () c) set action() d) all. []
17. themes are applied to an application by using _____ attribute. []
a) android :theme b) android :style c) android :layout d) theme.
18. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
19. _____ attribute aligns the content of the control in the linear layout [].
a) android:align b) android :padding c) android :orientation d) android : gravity
20. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
2. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
3. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
4. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b) .schema c) stable d) ls []
5. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []
6. which of the following is the method that is used to broad cast internet
a) send broad cast() b) .put extra () c) set action() d) all. []
7. themes are applied to an application by using _____ attribute.
a) android :theme b) android :style c) android :layout d) theme. []
8. _____ folder contains the assest files in raw file format.
a) application b) assests c) resources d) None []
9. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
10. which of the following are the paramenters are passed to a query method for
executing quieres
a) db.table b) order c) group_by d) all []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
2. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
3. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
4. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b) .schema c) stable d) ls []
5. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []
6. which of the following is the method that is used to broad cast internet
a) send broad cast() b) .put extra () c) set action() d) all. []
7. themes are applied to an application by using _____ attribute.
a) android :theme b) android :style c) android :layout d) theme. []
8. _____ folder contains the assest files in raw file format.
a) application b) assests c) resources d) None []
9. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
10. which of the following are the paramenters are passed to a query method for
executing quieres
a) db.table b) order c) group_by d) all []

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application.
a) allocation tracker b) tracker c) object allocator d) none. []
16. _____ is used to pause the execution of an application temporarily.
a) console b) an error c) break point d) None. []
17. _____ button is used to collapse all the expanded elements in the view.
a) expand all b) skip all c) remove all d) collapse all. []
18. _____ is a small window that pops up to interact with a user .
a) view control b) dialog control c) fragment d) frame. []
19. _____ is used to display text message in dialog box.
a) get msg() b) printf() c) print msg() d) set msg(). []
20. _____ is used to manage fragments in an activity.
a) fragment manager b) fragmanr_manager c) F_manager d) All []

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application.
a) allocation tracker b) tracker c) object allocator d) none. []
16. _____ is used to pause the execution of an application temporarily.
a) console b) an error c) break point d) None. []
17. _____ button is used to collapse all the expanded elements in the view.
a) expand all b) skip all c) remove all d) collapse all. []
18. _____ is a small window that pops up to interact with a user .
a) view control b) dialog control c) fragment d) frame. []
19. _____ is used to display text message in dialog box.
a) get msg() b) printf() c) print msg() d) set msg(). []
20. _____ is used to manage fragments in an activity.
a) fragment manager b) fragmanr_manager c) F_manager d) All []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

I Choose the correct alternative:

1. _____ is used to pause the execution of an application temporarily.
a)console b)an error c) break point d)None. []
2. _____ button is used to collapse all the expanded elements in the view.
a)expand all b)skip all c)remove all d) collapse all. []
3. _____ is a small window that pops up to interact with a user .
a)view control b)dialog control c)fragment d) frame. []
4. _____ is used to display text message in dialog box.
[]
a)get msg() b)printf() c) print msg() d) set msg().
5. _____ is used to manage fragments in an activity. []
a)fragment manager b)fragmanr_manager c)F_manager d) All
6. Every menu item is assigned with _____ -
a)resource id b)xml file c)sub menu d) all []
7. _____ is component of action bar. []
a)activity title b)tabs c)overflow menu d) all []
8. _____ is defined as the pointer that points at the result set of the underlying data.
a)array b)cursor c)trigger d)pointer array. []
9. the list of files and directories in the sub directory by _____ command.
a)sqlite3 b).schema c)stable d)ls []
10. _____ class is used to define an object that manages the notification.
a)notification b)notification_manager c)notification manger d) all []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

I Choose the correct alternative:

1. _____ is used to pause the execution of an application temporarily.
a)console b)an error c) break point d)None. []
2. _____ button is used to collapse all the expanded elements in the view.
a)expand all b)skip all c)remove all d) collapse all. []
3. _____ is a small window that pops up to interact with a user .
a)view control b)dialog control c)fragment d) frame. []
4. _____ is used to display text message in dialog box.
[]
a)get msg() b)printf() c) print msg() d) set msg().
5. _____ is used to manage fragments in an activity. []
a)fragment manager b)fragmanr_manager c)F_manager d) All
6. Every menu item is assigned with _____ -
a)resource id b)xml file c)sub menu d) all []
7. _____ is component of action bar. []
a)activity title b)tabs c)overflow menu d) all []
8. _____ is defined as the pointer that points at the result set of the underlying data.
a)array b)cursor c)trigger d)pointer array. []
9. the list of files and directories in the sub directory by _____ command.
a)sqlite3 b).schema c)stable d)ls []
10. _____ class is used to define an object that manages the notification.
a)notification b)notification_manager c)notification manger d) all []

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application.
a) allocation tracker b) tracker c) object allocator d) none. []
16. which of the following is the method that is used to broad cast internet
a) send broad cast() b).put extra () c) set action() d) all. []
17. themes are applied to an application by using _____ attribute.
a) android :theme b) android :style c) android :layout d) theme. []
18. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
19. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
20. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application.
a) allocation tracker b) tracker c) object allocator d) none. []
16. which of the following is the method that is used to broad cast internet
a) send broad cast() b).put extra () c) set action() d) all. []
17. themes are applied to an application by using _____ attribute.
a) android :theme b) android :style c) android :layout d) theme. []
18. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
19. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
20. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. which of the following is the method that is used to broad cast internet. []
a) send broad cast() b).put extra () c)set action() d)all.
2. themes are applied to an application by using _____ attribute. []
a) android :theme b) android :style c) android :layout d) theme.
3. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
4. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
5. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []
6. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
7. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
8. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
9. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b).schema c) stable d) ls []
10. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []



G.PULLAIAH COLLEGE OF ENGINEERING & TECHNOLOGY

IV .B.Tech I Sem. Objective – II mid Examination

Branch: COMPUTER SCIENCE & ENGINEERING

Sub:MOBILE APPLICATION DEVELOPMENT (15A05703) Date: 08-11-2018

Section:

Roll No:

Time: 20 MIN

Max.Marks:10

=====

I Choose the correct alternative:

1. which of the following is the method that is used to broad cast internet. []
a) send broad cast() b).put extra () c)set action() d)all.
2. themes are applied to an application by using _____ attribute. []
a) android :theme b) android :style c) android :layout d) theme.
3. _____ folder contains the assest files in raw file format. []
a) application b) assests c) resources d) None
4. _____ attribute aligns the content of the control in the linear layout . []
a) android:align b) android :padding c) android :orientation d) android : gravity
5. which of the following are the paramenters are passed to a query method for executing quieres
a) db.table b) order c) group_by d) all []
6. Every menu item is assigned with _____ []
a) resource id b) xml file c) sub menu d) all
7. _____ is component of action bar. []
a) activity title b) tabs c) overflow menu d) all
8. _____ is defined as the pointer that points at the result set of the underlying data.
a) array b) cursor c) trigger d) pointer array. []
9. the list of files and directories in the sub directory by _____ command.
a) sqlite3 b).schema c) stable d) ls []
10. _____ class is used to define an object that manages the notification.
a) notification b) notification_manager c) notification manger d) all []

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application. []
a) allocation tracker b) tracker c) object allocator d) none.
16. _____ is used to pause the execution of an application temporarily.
a) console b) an error c) break point d) None. []
17. _____ button is used to collapse all the expanded elements in the view.
a) expand all b) skip all c) remove all d) collapse all. []
18. _____ is a small window that pops up to interact with a user .
a) view control b) dialog control c) fragment d) frame. []
19. _____ is used to display text message in dialog box. []
a) get msg() b) printf() c) print msg() d) set msg().
20. _____ is used to manage fragments in an activity. []
a) fragment manager b) fragmanr_manager c) F_manager d) All

Choose the correct alternative:

11. _____ is used to display a list of vertically scrolling items.
a) Grid view b) page viewer c) list view d) all of the above. []
12. _____ is similar to drop down list that displays list of items.
a) alert dialogs b) spinner view c) list view d) grid view. []
13. _____ control is view group used to display text and image in a form of a rectangular scrollable grid.
a) page viewer b) grid view c) list view d) spinner view []
14. the view pager require a _____ to define and load the data for each page.
a) string resource b) array c) list of items d) data adapter. []
15. _____ is used to track the objects allocated to an application. []
a) allocation tracker b) tracker c) object allocator d) none.
16. _____ is used to pause the execution of an application temporarily.
a) console b) an error c) break point d) None. []
17. _____ button is used to collapse all the expanded elements in the view.
a) expand all b) skip all c) remove all d) collapse all. []
18. _____ is a small window that pops up to interact with a user .
a) view control b) dialog control c) fragment d) frame. []
19. _____ is used to display text message in dialog box. []
a) get msg() b) printf() c) print msg() d) set msg().
20. _____ is used to manage fragments in an activity. []
a) fragment manager b) fragmanr_manager c) F_manager d) All